การศึกษาลำดับความสำคัญของปัญหาและความต้องการของประชาชน เพื่อการวิจัยและพัฒนาพื้นที่ลุ่มน้ำปากพนัง : กลุ่มป่าจาก

แพทริค โจรี่¹, นันทวรรณ ยอดพิจิตร¹, นุสนธ์ สงเอียด², ขจรยุทธ อัจจิกุล², รัชฎา คชแสงสันต์², เพ็ญนภา สวนทอง³, ธนิต สมพงศ์³, นัทธี ภคเมธาวี¹ และสุพัทธ์ พู่ผกา

> สำนักวิชาศิลปศาสตร์ , สถาบันวิจัยและพัฒนา² และศูนย์บริการวิชาการ³ มหาวิทยาลัยวลัยลักษณ์ อำเภอท่าศาลา จังหวัดนครศรีธรรมราช 80160 (E-mail : jpatrick@wu.ac.th)

โครงการวิจัยนี้มีวัตถุประสงค์เพื่อศึกษาสภาพปัญหาและความต้องการของประชาชนใน พื้นที่ลุ่มน้ำปากพนัง กลุ่มผู้ที่ประกอบอาชีพเกี่ยวกับปาจาก โดยการจัดเวทีสนทนากลุ่ม (Focus Group Discussion) จำนวน 3 กลุ่ม ในพื้นที่ที่มีชุมชนประกอบอาชีพเกี่ยวป่าจากเป็นอาชีพหลัก และอาชีพเสริมทั้งในเขตพื้นที่น้ำจืดและน้ำเค็ม ซึ่งชุมชนมีการใช้ประโยชน์หลากหลายจากต้นจาก เช่น เย็บจากตับมุงหลังคา ใบจากมวนบุหรี่ น้ำตาลจาก น้ำส้มจาก เหล้าพื้นบ้าน เป็นต้น

จากการจัดเวทีสนทนากลุ่มผู้ทำอาชีพปาจาก (ไร่จาก) พบว่า อาชีพปาจากเป็นอาชีพที่มี
ความสำคัญอย่างยิ่งต่อซุมชน เนื่องจากเป็นอาชีพที่สร้างรายได้ที่ดีและมีความแน่นอน นอกจาก
นั้นปาจากยังมีความสำคัญอย่างยิ่งต่อระบบนิเวศน้ำกร่อย ซึ่งมีความอุดมสมบูรณ์ของสัตว์น้ำที่
เป็นแหล่งอาหารและรายได้ของชาวประมงพื้นบ้านในลุ่มน้ำปากพนังอีกทางหนึ่งด้วย อย่างไรก็
ตามปัจจุบันต้นจากให้ผลผลิตที่ลดลงและมีพื้นที่ลดน้อยลงมาก ซึ่งซุมชนปาจากเชื่อว่าเกิดจาก
การเปลี่ยนแปลงของคุณภาพน้ำอย่างชัดเจนและฉับพลัน จากระบบนิเวศน้ำกร่อยกำหนดให้เป็น
ระบบนิเวศน้ำจืดและน้ำเค็มอย่างชัดเจนตั้งแต่มีการปิดประตูระบายน้ำต่างๆ (ประตูระบายน้ำ
ปากพนังและประตูระบายน้ำเสือหึง) ของโครงการพัฒนาพื้นที่ลุ่มน้ำปากพนังอันเนื่องมาจากพระ
ราชดำริ ทำให้ในเชตพื้นที่น้ำเค็มมีน้ำเค็มจัด ในเขตพื้นที่น้ำจืดน้ำเริ่มจืดลง การเปลี่ยนแปลงที่
เกิดขึ้นส่งผลกระทบต่อสภาพการเจริญเติบโตและผลผลิตของต้นจากอย่างยิ่ง เพราะต้นจากจะ
เจริญเติบโตและให้ผลผลิตได้ดีในสภาพธรรมชาติที่เป็นน้ำกร่อย รวมถึงความอุดมสมบูรณ์ของ
ลัตว์น้ำต่างๆ ที่ลดน้อยลงส่งผลกระทบต่อการลดลงของรายได้และการเปลี่ยนแปลงวิถีชีวิตชุมชน
ที่ประกอบอาชีพปาจากและประมงพื้นบ้านเช่นเดียวกัน

สำหรับข้อเสนอแนะและความต้องการของชุมชนป่าจาก ชุมชนต้องการให้หน่วยงานของ รัฐตระหนักถึงคุณค่าและความสำคัญของป่าจากและระบบนิเวศน้ำกร่อย โดยเปิดโอกาสให้ชุมชน มีส่วนร่วมในการบริหารจัดการน้ำในพื้นที่ลุ่มน้ำปากพนังมากขึ้น นอกจากนั้นชาวบ้านส่วนใหญ่ ยังมีความคิดเห็นว่าโครงการพัฒนาต่างๆ ที่ก่อให้เกิดการเปลี่ยนแปลงสภาพธรรมชาติซึ่งจะส่งผล กระทบต่อการทำมาหากินของชุนชนจะไม่เกิดขึ้นอย่างรุนแรง ถ้าหากชุมชนได้มีส่วนร่วมในการ ปรึกษาหารือและตัดสินใจโครงการต่างๆ ด้วย

คำหลัก : ต้นจาก, เขตพื้นที่น้ำจืด, เขตพื้นที่น้ำเค็ม, น้ำกร่อย, น้ำตาลจาก, น้ำส้มจาก, เหล้าจาก, สัตว์ทะเล

แหล่งทุน : สำนักงานกองทุนสนับสนุนการวิจัย

ประเภทสิ่งพิมพ์ : รายงานการวิจัย

ผู้ประสานงาน : รัชฏา คชแสงสันต์ (สถาบันวิจัยและพัฒนา)

A Study of the Order of Importance of Problems and People' Needs for Research into and Development of the Pak Panang Basin Region : Nipa Palm Group

Patrick JORY¹, Nuntawan YODPIJIT¹, Nuson SONG-IAT², Kajohnyut AUGJIKOOL², Rachada KOTCHASAENGSAN², Phennapha SUANTHONG³, Tanit SOMPONG³, Nattee PAKAMATAWEE¹ and Supat POOPAKA

Institute of Liberal Arts¹, Institute of Research and Development² and The Center of Academic Services³, Walailak University, Tasala, Nakhon Si Thammarat 80160,Thailand (E-mail: jpatrick@wu.ac.th)

The objective of this research project was to investigate the problems and needs of people in the Pak Panang basin region who cultivated the *Nipa Palm* for their livelihood. We held a series of three focus group discussions attended by a broad range of *Nipa Palm* cultivators: villagers from regions designated "salt water zones" as well as those designated "fresh water zones"; villagers who cultivated the *Nipa Palm* as their primary source of income, as well as those for whom it provided a supplementary income; and villagers involved in producing the various products that could be cultivated from the *Nipa Palm*, including roofing. Cigarette paper, sugar, vinegar and whisky.

The findings were as follows. Villagers emphasized how important cultivating the Nipa Palm had been in the past as a regular and reliable source of income for famimies in the Pak Panang basin region. Nipa Palm groves also played an important part in the natural ecosystem of Pak Panang as a place of abundant marine life, that also provided additional income for local fishermen. However villagers from most regions pointed out that recently Nipa Palm trees in the region were producing far fewer fruit. They tended to attribute the cause of this to dramatic changes in the quality of the water since the implementation of the Pak Panang Basin Development Project. In the zones designated "salt water" the water had become extremely salty, while in the "fresh water" designated zones the water had become fresh. This change apparently affected the health of Nipa

1

Palm, which grows in the brackish water and was thus ideally suited to the natural

environment Pak Panang. There has also been a dramatic decline in the marine life

around the Nipa Palm groves. Both changes seriously affected villagers' income. In

terms of needs, villagers wanted the value of the Nipa Palm and ecosystem of brackish

water to be recognised by the government, and that local communities in Pak Panang

be allowed to have more participation in the matters relating to water control in the Pak

Panang basin region. Many villagers expressed frustration that major changes to the

natural environment affecting the villagers' livelihood had been made with little, if any,

consultation with the villagers themselves

Keywords: Nipa Palm, fresh water zone, salt water zone, brackish water, sugar,

vinegar, whisky, marine species.

Grant: TRF _

Published: Research Report.

Coordinator: Rachada Kotchasaengsan (Institute of Research and Development)